

Magic Puff - THCA Crystal Resin Preroll

Sample ID: 2603AFL0443.1502

Internal Lab ID: ATL-35385

Client

Strain: Pink Panties

Magic Puff

Matrix: Plant

Received: 03/24/2026

Lic. # 426021

Type: Flower - Cured

Completed: 03/26/2026

Address: 7901 4th Street North, #25366.

Unit Weight: 1 g

Batch#: MP020320226PP

St. Petersburg, FL 33702



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

03/24/2026

Complete

Basic Potency - HPLC

Complete

24.835%

Total THC

1.574%

Total CBD

33.684%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.003	0.008	ND	ND	CBN	0.003	0.008	1.905	19.05
CBDV	0.003	0.008	ND	ND	Δ^9 -THC	0.003	0.008	ND	ND
CBDa	0.003	0.008	ND	ND	Δ^8 -THC	0.003	0.008	ND	ND
CBGa	0.003	0.008	0.898	8.98	(6aR,9S)-d10-THC	0.003	0.009	ND	ND
CBG	0.003	0.008	0.989	9.89	(6aR,9R)-d10-THC	0.003	0.009	ND	ND
CBD	0.003	0.008	1.574	15.74	CBC	0.003	0.008	ND	ND
THCV	0.003	0.008	ND	ND	CBCa	0.003	0.008	ND	ND
Δ^8 -THCV	0.003	0.009	ND	ND	THCa	0.003	0.008	28.318	283.18
THCVa	0.003	0.008	ND	ND	Total			33.684	336.84

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 03/24/2026


Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Not Tested
Document ID:
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
03/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.